# Test Report No.: 70.452.26.15150.01

## Date: 2026-08-04

| | |
|---|---|
| **Applicant:** | SUZHOU JUSTWARE INDUSTRY AND TRADE LTD |
| **Address:** | HUANGDAI TOWN , XIANGCHENG DISTRICT SUZHOU CHINA |
| **Product Name:** | DOUBLE LANE SLIP |
| **Style No.:** | 99006 |
| **Country of Origin:** | CHINA |
| **Receipt Date of Sample:** | 2026-06-22 |
| **Date of Testing:** | 2026-06-22 ~ 2026-08-04 |
| **Sample Submitted:** | The sample(s) was (were) submitted by applicant and identified. |
| **Test Result:** | Refer to the data listed in following pages |

| Test Item | | Conclusion |
|---|---|---|
| 1. | **EN 71-3:2019+A2:2024-Migration of certain elements** | **Pass** |
| 2. | **EN 71-1:2014+A1:2018 Mechanical and Physical Properties** | **Pass** |
| 3. | **EN 71-2:2020 Flammability** | **Pass** |
| 4. | **EN 71-2:2020+A1:2025 Flammability** | **Pass** |

Remarks: 1. MDL = Method Detection Limit
2. ND = Not Detected (<MDL)
3. <= Less than
4. 1 mg/kg = 1 ppm = 0.0001%

# Test Report No.: 70.452.26.15150.01

## Date: 2026-08-04

**TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch**
**Testing Center**

**Prepared by:**

**Authorized by:**

**Jenny Yao**
**Technical Engineer**

**Tang Wei**
**Technical Manager**

**Note:**

(1) The TüV SüD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production.
For further details, please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3.
For full version, please visit: EN : https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en ; SCN: https://www.tuvsud.cn/zh-cn/terms-and-conditions ; TCN: https://www.tuvsud.com/zh-tw/terms-and-conditions

(2) Sample and (or) material information is provided by the client. TüV SüD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.

(3) The testing results are only valid for the sample tested.

(4) The test report shall not be reproduced except in full, without the written approval of the laboratory.

(5) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

**Description of Tested Subject:**

| Sample | Description | Photo |
|---|---|---|
| 001 | DOUBLE LANE SLIP |    |

| T. No | Sample | Description |
|---|---|---|
| T1 | 002 | Blue soft plastic (body) |
| T2 | 003 | Yellow soft plastic (body) |
| T3 | 004 | Orange soft plastic (body) |
| T4 | 005 | Black soft plastic (body) |
| T5 | 006 | Black coating |
| T6 | 007 | Orange plastic (accessories) |
| T7 | 008 | Transparent plastic (sticker) |
| T8 | 009 | Transparent plastic (plug) |
| T9 | 010 | Orange plastic (plug) |
| T10 | 011 | Transparent soft plastic (plug) |
| T11 | 012 | Transparent soft plastic (gasket) |

**Test Result(s):**

**1. EN 71-3:2019+A2:2024-Migration of certain elements**

Test with reference to EN71-3:2019+A2:2024, determination by ICP-MS.

| Parameter | MDL [mg/kg] | Limit in scraped-off toy [mg/kg] | Result(s) [mg/kg] | |
|---|---|---|---|---|
| | | | 002 | 003 |
| Soluble Aluminum | 5.00 | 28130 | ND | ND |
| Soluble Antimony | 5.00 | 560 | ND | ND |
| Soluble Arsenic | 5.00 | 47 | ND | ND |
| Soluble Barium | 5.00 | 18750 | ND | ND |
| Soluble Boron | 5.00 | 15000 | ND | ND |
| Soluble Cadmium | 5.00 | 17 | ND | ND |
| Soluble Chromium III | 0.04 | 460 | ND | ND |
| Soluble Chromium VI | 0.04 | 0.053 | ND | ND |
| Soluble Cobalt | 5.00 | 130 | ND | ND |
| Soluble Copper | 5.00 | 7700 | ND | ND |
| Soluble Lead | 5.00 | 23 | ND | ND |
| Soluble Manganese | 5.00 | 15000 | ND | ND |
| Soluble Mercury | 5.00 | 94 | ND | ND |
| Soluble Nickel | 5.00 | 930 | ND | ND |
| Soluble Selenium | 5.00 | 460 | ND | ND |
| Soluble Strontium | 5.00 | 56000 | ND | ND |
| Soluble Tin | 2.50 | 180000 | ND | ND |
| Organic Tin | 7.50 | 12 | ND | ND |
| Soluble Zinc | 5.00 | 46000 | ND | ND |
| **Conclusion** | | | **Pass** | **Pass** |

| Parameter | MDL [mg/kg] | Limit in scraped-off toy [mg/kg] | Result(s) [mg/kg] | |
|---|---|---|---|---|
| | | | 004 | 005 |
| Soluble Aluminum | 5.00 | 28130 | ND | ND |
| Soluble Antimony | 5.00 | 560 | ND | ND |
| Soluble Arsenic | 5.00 | 47 | ND | ND |
| Soluble Barium | 5.00 | 18750 | ND | ND |
| Soluble Boron | 5.00 | 15000 | ND | ND |
| Soluble Cadmium | 5.00 | 17 | ND | ND |
| Soluble Chromium III | 0.04 | 460 | ND | ND |
| Soluble Chromium VI | 0.04 | 0.053 | ND | ND |
| Soluble Cobalt | 5.00 | 130 | ND | ND |
| Soluble Copper | 5.00 | 7700 | ND | ND |
| Soluble Lead | 5.00 | 23 | ND | ND |
| Soluble Manganese | 5.00 | 15000 | ND | ND |
| Soluble Mercury | 5.00 | 94 | ND | ND |
| Soluble Nickel | 5.00 | 930 | ND | ND |
| Soluble Selenium | 5.00 | 460 | ND | ND |
| Soluble Strontium | 5.00 | 56000 | ND | ND |
| Soluble Tin | 2.50 | 180000 | ND | ND |
| Organic Tin | 7.50 | 12 | ND | ND |
| Soluble Zinc | 5.00 | 46000 | ND | ND |
| **Conclusion** | | | **Pass** | **Pass** |

| Parameter | MDL [mg/kg] | Limit in scraped-off toy [mg/kg] | Result(s) [mg/kg] | |
|---|---|---|---|---|
| | | | 006 | 007 |
| Soluble Aluminum | 5.00 | 28130 | 16.3 | ND |
| Soluble Antimony | 5.00 | 560 | ND | ND |
| Soluble Arsenic | 5.00 | 47 | ND | ND |
| Soluble Barium | 5.00 | 18750 | 23.1 | ND |
| Soluble Boron | 5.00 | 15000 | ND | ND |
| Soluble Cadmium | 5.00 | 17 | ND | ND |
| Soluble Chromium III | 0.04 | 460 | 0.650 | ND |
| Soluble Chromium VI | 0.04 | 0.053 | ND | ND |
| Soluble Cobalt | 5.00 | 130 | ND | ND |
| Soluble Copper | 5.00 | 7700 | ND | ND |
| Soluble Lead | 5.00 | 23 | ND | ND |
| Soluble Manganese | 5.00 | 15000 | ND | ND |
| Soluble Mercury | 5.00 | 94 | ND | ND |
| Soluble Nickel | 5.00 | 930 | ND | ND |
| Soluble Selenium | 5.00 | 460 | ND | ND |
| Soluble Strontium | 5.00 | 56000 | ND | ND |
| Soluble Tin | 2.50 | 180000 | ND | ND |
| Organic Tin | 7.50 | 12 | ND | ND |
| Soluble Zinc | 5.00 | 46000 | 22.4 | ND |
| **Conclusion** | | | **Pass** | **Pass** |

Note: - Mass of trace amount of sample 006 is 42.00 mg

| Parameter | MDL [mg/kg] | Limit in scraped-off toy [mg/kg] | Result(s) [mg/kg] | |
|---|---|---|---|---|
| | | | 008 | 009 |
| Soluble Aluminum | 5.00 | 28130 | ND | ND |
| Soluble Antimony | 5.00 | 560 | ND | ND |
| Soluble Arsenic | 5.00 | 47 | ND | ND |
| Soluble Barium | 5.00 | 18750 | ND | ND |
| Soluble Boron | 5.00 | 15000 | 5.44 | ND |
| Soluble Cadmium | 5.00 | 17 | ND | ND |
| Soluble Chromium III | 0.04 | 460 | ND | ND |
| Soluble Chromium VI | 0.04 | 0.053 | ND | ND |
| Soluble Cobalt | 5.00 | 130 | ND | ND |
| Soluble Copper | 5.00 | 7700 | ND | ND |
| Soluble Lead | 5.00 | 23 | ND | ND |
| Soluble Manganese | 5.00 | 15000 | ND | ND |
| Soluble Mercury | 5.00 | 94 | ND | ND |
| Soluble Nickel | 5.00 | 930 | ND | ND |
| Soluble Selenium | 5.00 | 460 | ND | ND |
| Soluble Strontium | 5.00 | 56000 | ND | ND |
| Soluble Tin | 2.50 | 180000 | ND | ND |
| Organic Tin | 7.50 | 12 | ND | ND |
| Soluble Zinc | 5.00 | 46000 | ND | ND |
| **Conclusion** | | | **Pass** | **Pass** |

| Parameter | MDL [mg/kg] | Limit in scraped-off toy [mg/kg] | Result(s) [mg/kg] | |
|---|---|---|---|---|
| | | | 010 | 011 |
| Soluble Aluminum | 5.00 | 28130 | ND | ND |
| Soluble Antimony | 5.00 | 560 | ND | ND |
| Soluble Arsenic | 5.00 | 47 | ND | ND |
| Soluble Barium | 5.00 | 18750 | ND | ND |
| Soluble Boron | 5.00 | 15000 | ND | ND |
| Soluble Cadmium | 5.00 | 17 | ND | ND |
| Soluble Chromium III | 0.04 | 460 | ND | ND |
| Soluble Chromium VI | 0.04 | 0.053 | ND | ND |
| Soluble Cobalt | 5.00 | 130 | ND | ND |
| Soluble Copper | 5.00 | 7700 | ND | ND |
| Soluble Lead | 5.00 | 23 | ND | ND |
| Soluble Manganese | 5.00 | 15000 | ND | ND |
| Soluble Mercury | 5.00 | 94 | ND | ND |
| Soluble Nickel | 5.00 | 930 | ND | ND |
| Soluble Selenium | 5.00 | 460 | ND | ND |
| Soluble Strontium | 5.00 | 56000 | ND | ND |
| Soluble Tin | 2.50 | 180000 | ND | ND |
| Organic Tin | 7.50 | 12 | ND | ND |
| Soluble Zinc | 5.00 | 46000 | ND | ND |
| **Conclusion** | | | **Pass** | **Pass** |

| Parameter | MDL [mg/kg] | Limit in scraped-off toy [mg/kg] | Result(s) [mg/kg] |
|---|---|---|---|
| | | | 012 |
| Soluble Aluminum | 5.00 | 28130 | ND |
| Soluble Antimony | 5.00 | 560 | ND |
| Soluble Arsenic | 5.00 | 47 | ND |
| Soluble Barium | 5.00 | 18750 | ND |
| Soluble Boron | 5.00 | 15000 | ND |
| Soluble Cadmium | 5.00 | 17 | ND |
| Soluble Chromium III | 0.04 | 460 | ND |
| Soluble Chromium VI | 0.04 | 0.053 | ND |
| Soluble Cobalt | 5.00 | 130 | ND |
| Soluble Copper | 5.00 | 7700 | ND |
| Soluble Lead | 5.00 | 23 | ND |
| Soluble Manganese | 5.00 | 15000 | ND |
| Soluble Mercury | 5.00 | 94 | ND |
| Soluble Nickel | 5.00 | 930 | ND |
| Soluble Selenium | 5.00 | 460 | ND |
| Soluble Strontium | 5.00 | 56000 | ND |
| Soluble Tin | 2.50 | 180000 | ND |
| Organic Tin | 7.50 | 12 | ND |
| Soluble Zinc | 5.00 | 46000 | ND |
| **Conclusion** | | | **Pass** |

## 2. EN 71-1:2014+A1:2018 Mechanical and Physical Properties

| Sample | 001 |
|---|---|
| Labelled age range | AGES 5-12 |
| Requested age range | 3+ |
| Age range for testing | Over 3 years |

| Clause | Requirement | Evaluation |
|---|---|---|
| 4 | General Requirements | -- |
| 4.1 | Material cleanliness | P |
| 4.2 | Assembly | P |
| 4.3 | Flexible plastic sheeting | P |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 | Edges | P |
| 4.8 | Points and metallic wires | P |
| 4.9 | Protruding parts | NA |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth-actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of toy kites and other flying toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys intended to bear the mass of a child | P |
| 4.16 | Heavy immobile toys | NA |
| 4.17 | Projectile Toys | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA |
| 4.20 | Acoustics | NA |
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo Balls | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy Disguise Costumes | NA |
| 4.27 | Flying toys | NA |
| 5 | Toys intended for children under 36 months | NA |
| 5.1 | General requirements | NA |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | NA |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | NA |
| 5.5 | Liquid filled toys | NA |
| 5.6 | Speed limitation of electrically-driven ride-on toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size of certain toys | NA |
| 5.9 | Toys comprising monofilament fibres | NA |
| 5.10 | Small balls | NA |

| Clause | Requirement | Evaluation |
|---|---|---|
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric-shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling | NA |
| 6 | Packaging | P |
| 7 | Warnings, markings and instructions for use | -- |
| 7.1 | General | P |
| 7.2 | Toys not intended for children under 36 months | P |
| 7.3 | Latex balloons | NA |
| 7.4 | Aquatic toys | NA |
| 7.5 | Functional toys | NA |
| 7.6 | Hazardous sharp functional edges and points | NA |
| 7.7 | Projectiles toys | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toys kites | NA |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys | P |
| 7.11 | Toys intended to be strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid-filled teethers | NA |
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic/Electrical experiment sets | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | NA |
| 7.24 | Sledges with cords for pulling | NA |
| 7.25 | Flying toys | NA |
| 7.26 | Improvised projectiles | NA |

**Abbreviation:**
P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Labelling requirement (Washing/Cleaning instruction, CE marking, Importer/Manufacturer name and address, Product identification) according to the Directive 2009/48/EC-Safety of toys.

| | On Package | On Product |
|---|---|---|
| **Washing/Cleaning instruction** | Not Applicable | Not Applicable |
| A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. | | |

| | On Package | On Product |
|---|---|---|
| **CE Marking** | Absent | Absent |

| | | |
|---|---|---|
| **(EU) Manufacturer's Name and Address** | Absent | Absent |
| **(EU) Importer's Name and Address** | Absent | Absent |
| **Product Identification** | Present | Absent |

The following marking shall be fulfilled.
- The CE marking is subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking shall be affixed visibly, legibly and indelibly to the toy, to an affixed label to the packaging, or to the counter display.
- The manufacturer's name and address, importer's name and address in the EU shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- The toys shall bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

### 3. EN 71-2:2020 Flammability

| **Sample** | 001 |
|---|---|

| **Clause** | **Requirement** | **Evaluation** |
|---|---|---|
| 4.1 | General Requirements | P |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft-filled toys | NA |

**Abbreviation:**
P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

### 4. EN 71-2:2020+A1:2025 Flammability

| **Sample** | 001 |
|---|---|

| **Clause** | **Requirement** | **Evaluation** |
|---|---|---|
| 4.1 | General Requirements | P |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft-filled toys | NA |

**Abbreviation:**
P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

-End of Test Report-