Test Report No.: 70.452.26.15153.01

Date: 2026-07-23

Applicant:	SUZHOU JUSTWARE INDUSTRY AND TRADE LTD
Address:	HUANGDAI TOWN, XIANGCHENG DISTRICT SUZHOU CHINA
Product Name:	DOUBLE LANE SLIP
Style No.:	99011
Country of Origin:	CHINA
Receipt Date of Sample:	2026-06-22
Date of Testing:	2026-06-22 ~ 2026-07-23
Sample Submitted:	The sample(s) was (were) submitted by applicant and identified.
Test Result:	Refer to the data listed in following pages

Test Item		Conclusion
1.	**EN 71-3:2019+A2:2024-Migration of certain elements**	**Pass#**
2.	**EN 71-1:2014+A1:2018 Mechanical and Physical Properties**	**Pass**
3.	**EN 71-2:2020 Flammability**	**Pass**
4.	**EN 71-2:2020+A1:2025 Flammability**	**Pass**

Remarks: 1. MDL = Method Detection Limit
2. ND = Not Detected (<MDL)
3. <= Less than
4. 1 mg/kg = 1 ppm = 0.0001%
5. #=Only specified components were tested according to client's requirement.

Test Report No.: 70.452.26.15153.01

Date: 2026-07-23

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
Testing Center

Prepared by:

Authorized by:

Jenny Yao
Technical Engineer

Tang Wei
Technical Manager

Note:

(1) The TüV SüD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production.
For further details, please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3.
For full version, please visit: EN : https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en ; SCN: https://www.tuvsud.cn/zh-cn/terms-and-conditions ; TCN: https://www.tuvsud.com/zh-tw/terms-and-conditions

(2) Sample and (or) material information is provided by the client. TüV SüD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.

(3) The testing results are only valid for the sample tested.

(4) The test report shall not be reproduced except in full, without the written approval of the laboratory.

(5) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Description of Tested Subject:

Sample	Description	Photo
001	DOUBLE LANE SLIP	 

T. No	Sample	Description
T1	002	Blue soft plastic (body)
T2	003	Yellow soft plastic (body)
T3	004	Green soft plastic (body)
T4	005	Yellow green soft plastic (body)
T5	006	Orange soft plastic (body)
T6	007	Black coating
T7	008	Orange plastic (accessories)
T8	009	Transparent plastic (sticker)
T9	010	Transparent plastic (plug)
T10	011	Yellow plastic (plug)
T11	012	Transparent soft plastic (plug)
T12	013	Black soft plastic (gasket)

Test Result(s):

1. EN 71-3:2019+A2:2024-Migration of certain elements

Test with reference to EN71-3:2019+A2:2024, determination by ICP-MS.

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			002	003
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			**Pass**	**Pass**

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			004	005
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	7.25	5.70
Soluble Boron	5.00	15000	7.55	5.15
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			**Pass**	**Pass**

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			006	007
Soluble Aluminum	5.00	28130	ND	16.3
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	23.1
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	0.650
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	22.4
Conclusion			**Pass**	**Pass**

Note: Mass of trace amount of sample 007 is 42.00 mg

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			008	009
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	5.44
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			**Pass**	**Pass**

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			010	011
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			**Pass**	**Pass**

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			012	013
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			**Pass**	**Pass**

2. EN 71-1:2014+A1:2018 Mechanical and Physical Properties

Sample	001
Labelled age range	AGES 5-12
Requested age range	3+
Age range for testing	Over 3 years

Clause	Requirement	Evaluation
4	General Requirements	--
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	P
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA

Clause	Requirement	Evaluation
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile Toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	NA
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	--
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toys kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA

Clause	Requirement	Evaluation
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/Electrical experiment sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation:
P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Labelling requirement (Washing/Cleaning instruction, CE marking, Importer/Manufacturer name and address, Product identification) according to the Directive 2009/48/EC-Safety of toys.

	On Package	On Product
Washing/Cleaning instruction	Not Applicable	Not Applicable
A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.		

	On Package	On Product
CE Marking	Absent	Absent
(EU) Manufacturer's Name and Address	Absent	Absent
(EU) Importer's Name and Address	Absent	Absent
Product Identification	Present	Absent
The following marking shall be fulfilled. - The CE marking is subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking shall be affixed visibly, legibly and indelibly to the toy, to an affixed label to the packaging, or to the counter display. - The manufacturer's name and address, importer's name and address in the EU shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. - The toys shall bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.		

3. EN 71-2:2020 Flammability

Sample	001

Clause	Requirement	Evaluation
4.1	General Requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Abbreviation:
P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

4. EN 71-2:2020+A1:2025 Flammability

Sample	001

Clause	Requirement	Evaluation
4.1	General Requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Abbreviation:
P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

-End of Test Report-